

MATERIAL SAFETY DATA SHEET

Numbers: AC NC Synonyms: Lith Company Identific	199880000, AC199880020, AC199 413270000, AC413270050, AC413 9548114, XXAC19988-80 hium monochloride. cation:	9880050, AC199881000, AC199885000, AC413270000 3275000, S75461, S754611, L120-500, L121-100, L121-500, Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410	
Numbers: AC NC Synonyms: Lith Company Identific	413270000, AC413270050, AC413 9548114, XXAC19988-80 nium monochloride. cation:	3275000, S75461, S754611, L120-500, L121-100, L121-500, Fisher Scientific One Reagent Lane	
Company Identific	cation:	One Reagent Lane	
		One Reagent Lane	
	4		
For information in	the US, call:	201-796-7100	
Emergency Number US: CHEMTREC Phone Number, US:		201-796-7100 800-424-9300	
 AS#:	 7447-41-8		
Chemical Name:	Lithium chloride		
6:	99		
INECS#:	231-212-3		
	Symbols: XN		
	Symbols: XN		
Risk Phr	ases: 21/22 36/38		
	Section 3 -	Hazards Identification	

EMERGENCY OVERVIEW

Warning! May cause central nervous system effects. Causes eye and skin irritation. Harmful if swallowed or absorbed through the skin. Target Organs: Central nervous system, eyes, skin.

Potential Health Effects

- Causes moderate eye irritation. Causes redness and pain. May cause visual abnormalities including: Eye: blurring, abnormal color vision, loss of sight.
- Causes severe skin irritation. Harmful if absorbed through the skin. Prolonged absorption may affect Skin: electrolyte balance and impair kidney function. Dehydration, weight loss, skin effects, and thyroid disturbances have been reported. Repeated or prolonged exposure may cause drying and cracking of the skin.
- Ingestion: Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause central nervous system effects. May cause blood electrolyte disturbances. Large doses of lithium may cause dizziness, prostration, and kidney damage. Dehydration, weight loss, slurred speech, blurred vision, sensory loss, ataxia (failure of muscular coordination), tremors, and convulsions may occur. May cause headache, muscle weakness and incoordination, and confusion.
- Inhalation: May cause severe irritation of the upper respiratory tract with pain, burns, and inflammation. Symptoms of exposure include: increased secretions, cough, pain or respiration,
- Prolonged absorption may affect electrolyte balance and impair kidney function. Dehydration, weight loss, Chronic: skin effects, and thyroid disturbances have been reported. Laboratory experiments have resulted in mutagenic effects. Chronic exposure to lithium salts may cause drowsiness, visual abnormalities, weakness, ringing in the ears, and muscle tremors. Possible risk of harm to the unborn child. May impair fertility.

_				
	Section 4 - First Aid Measures			
Eyes:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.			
Skin:	Get medical aid. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.			
Ingestion:	Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.			
Inhalation:	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask.			
Notes to Physician:				
	Section 5 - Fire Fighting Measures			
General Information:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.			
Extinguishing Media:	Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.			
Autoign Tempera	ition Not applicable. ture:			
	oint: Not applicable.			
	mits: Not available			
Explosion Li	mits: Not available oper:			
NFPA Ra	ting: health: 2; flammability: 1; instability: 1;			
	Section 6 - Accidental Release Measures			
General Information:	Use proper personal protective equipment as indicated in Section 8.			
Spills/Leaks:	Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal. Avoid generating dusty conditions. Provide ventilation.			
	Section 7 - Handling and Storage			
Handling: Wa	sh thoroughly after handling. Remove contaminated clothing and wash before reuse. Minimize dust			

Handling: Wash thoroughly atter handling. Remove contaminated clothing and wash before reuse. Minimize dust generation and accumulation. Keep container tightly closed. Do not get on skin or in eyes. Do not ingest or inhale. Use only in a chemical fume hood. Discard contaminated shoes.

Storage: Do not store in direct sunlight. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture.

	Section 8 - Exposure	Controls, Personal Prote	ction
Chemical Name	ACGIH	+ NIOSH	OSHA - Final PELs
Lithium chloride	none listed	none listed	none listed

OSHA Vacated PELs: Lithium chloride: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

F

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

		Section 9 - Physical and Chemical Properties		
		Physical State: Granules		
		Color: white		
		Odor: none reported pH: 7-8 (50 g/l aq. sol.) Vapor Pressure: 1.33 hPa @ 547 deg C Vapor Density: Not available		
		Evaporation Rate: Negligible.		
		Viscosity: Not available		
		Boiling Point: 1382 deg C @ 760 mm Hg (2,519.60°F)		
	_	Freezing/Melting Point: 605 deg C (1,121.00°F)		
	Dec	composition Temperature: Not available		
		Solubility in water: 832 g/l (20°C)		
		Specific Gravity/Density: 2.06 (water=1)		
		Molecular Formula: LiCl		
		Molecular Weight: 42.38		
		Section 10 - Stability and Reactivity		
Chemical Stability		Hygroscopic: absorbs moisture or water from the air.		
Conditions to Avo	oid:	Light, dust generation, exposure to moist air or water, Aqueous solutions are very mildly corrosive to most metals.		
Incompatibilities with Other Materials		Strong oxidizing agents, strong acids, alkali metals, bromine trifluoride, halogens, sulfuric acid.		
Incompatibilities v Materials	with Other			
Materials Hazardous Decom	position	sulfuric acid.		
Materials Hazardous Decom Products	position	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium.		
Materials Hazardous Decom Products	position erization	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur.		
Materials Hazardous Decom Products Hazardous Polymo	erization CAS# 744 RTECS:	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	cAS# 744 RTECS: CAS# 744	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	cAS# 744 CAS# 744 RTECS: CAS# 744 Draize test	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi Oral, rabbi	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi Oral, rabbi Oral, rabbi Oral, rat: L	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg; .D50 = 526 mg/kg; .D50 = 1530 mg/kg;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, rabbi Oral, rabbi Oral, rabbi Oral, rat: L Oral, rat: L Skin, rabbi	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg; D50 = 526 mg/kg; D50 = 1530 mg/kg; it: LD50 = 1629 mg/kg;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, rabbi Oral, rabbi Oral, rabbi Oral, rat: L Oral, rat: L Skin, rabbi	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg; .D50 = 526 mg/kg; .D50 = 1530 mg/kg;		
Materials Hazardous Decom Products Hazardous Polymo RTECS#: LD50/LC50:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, rabbi Oral, rabbi Oral, rabbi Oral, rat: L Oral, rat: L Skin, rabbi Skin, rat: L	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg; D50 = 1530 mg/kg; it: LD50 = 1629 mg/kg; D50 = 1488 mg/kg;		
Materials Hazardous Decom Products Hazardous Polyme RTECS#:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi Oral, rat: L Oral, rat: L Oral, rat: L Skin, rat: L Skin, rat: L Lithium ch	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; Se: LD50 = 1165 mg/kg; Se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg; D50 = 526 mg/kg; D50 = 1629 mg/kg; LD50 = 1629 mg/kg; D50 = 1488 mg/kg; Noride - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.		
Materials Hazardous Decom Products Hazardous Polyme RTECS#: LD50/LC50:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi Oral, rat: L Oral, rat: L Oral, rat: L Skin, rat: L Skin, rat: L Lithium ch	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; Se: LD50 = 1165 mg/kg; Se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 775 mg/kg; D50 = 526 mg/kg; D50 = 1530 mg/kg; it: LD50 = 1629 mg/kg; D50 = 1629 mg/kg; D50 = 1488 mg/kg; loride - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65. I entry in RTECS for complete information.		
Materials Hazardous Decom Products Hazardous Polymo RTECS#: LD50/LC50: Carcinogenicity: Other:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi Oral, rat: L Oral, rat: L Oral, rat: L Skin, rat: L Skin, rat: L Lithium ch	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; Se: LD50 = 1165 mg/kg; Se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 800 mg/kg; t: LD50 = 775 mg/kg; D50 = 526 mg/kg; D50 = 1629 mg/kg; LD50 = 1629 mg/kg; D50 = 1488 mg/kg; Noride - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.		
Materials Hazardous Decom Products Hazardous Polyme RTECS#: LD50/LC50:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, mous Oral, rabbi Oral, rat: L Oral, rat: L Oral, rat: L Skin, rat: L Skin, rat: L Lithium ch	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; Se: LD50 = 1165 mg/kg; Se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 775 mg/kg; D50 = 526 mg/kg; D50 = 1530 mg/kg; it: LD50 = 1629 mg/kg; D50 = 1629 mg/kg; D50 = 1488 mg/kg; loride - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65. I entry in RTECS for complete information.		
Materials Hazardous Decom Products Hazardous Polyme RTECS#: LD50/LC50: Carcinogenicity: Other:	CAS# 744 RTECS: CAS# 744 Draize test Oral, mous Oral, rabbi Oral, rabbi Oral, rabbi Oral, rat: L Oral, rat: L Skin, rabbi Skin, rat: L Lithium chl See actual	sulfuric acid. Hydrogen chloride, chlorine, oxides of lithium. Will not occur. Section 11 - Toxicological Information 7-41-8: OJ5950000 7-41-8: Draize test, rabbit, eye: 100 mg/24H Moderate; t, rabbit, skin: 500 mg/24H Severe; se: LD50 = 1165 mg/kg; se: LD50 = 1165 mg/kg; t: LD50 = 1165 mg/kg; t: LD50 = 775 mg/kg; D50 = 526 mg/kg; D50 = 1530 mg/kg; t: LD50 = 1629 mg/kg; D50 = 1488 mg/kg; loride - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65. tentry in RTECS for complete information. Section 12 - Ecological Information		

US DOT

Shipping Name: Not regulated. Hazard Class: UN Number: Packing Group: Canada TDG Shipping Name: Not regulated as a hazardous material Hazard Class: UN Number: Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XN

Risk Phrases:

R 21/22 Harmful in contact with skin and if swallowed.

R 36/38 Irritating to eyes and skin.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 7447-41-8: 1

Canada

CAS# 7447-41-8 is listed on Canada's DSL List

Canadian WHMIS Classifications: D1A, F, D1B, D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 7447-41-8 is not listed on Canada's Ingredient Disclosure List.

US Federal

TSCA

CAS# 7447-41-8 is listed on the TSCA Inventory.

Section 16 - Other Information

MSDS Creation Date: 3/29/1999 Revision #6 Date 7/27/2006

Revisions were made in Sections: 2, 3, 7, 9, 10, 11, 14, 15

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantibility or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.