Chalkboard Cleaner ITEM NUMBER: 868 -VERSION 2 EFFECTIVE DATE: 07/18/01 SUPERCEDES: 04/22/98 PREPARED BY: Ron Cepa Section(s) Revised: HMIS, II, III, IV, V, VI, VIII IDENTITY (As Used On Label and List): 1-800-228-5635 X 009 (24 Hrs) Outside of the U.S.A. Call 651-632-9275 EMERGENCY MEDICAL Telephone∦ PRODUCT HAZARD RATINGS (HMIS): - Health = 1*, Fire = 2, Reactivity = 0, Protective Equipment = A (Rating Legend: - 4 = Extreme. 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal, * = Chronic Hazard) -*-*-*-*-*-*-*-*-*-*-*-* *-*-*-*-*-*-*-*-* SECTION I TELEPHONE NUMBER FOR INFORMATION: Claire Hfg 500 Vista 5/09/02 NAME OF PREPARER: Ron Cepa DATE PRINTED : Addison *-*-*-*-*-* SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION -*-*-*-*-*-*-*-*-*-*-*-*-*-* % By Wt. Chemical Names CAS # SARA Title III ACG [H DSHA SEC 313 TLV/TWA PEL/TWA 1000 ppm 1000 ppm Ethyl alcohol 2-Butoxyethanol 64-17-5 111-76-2 See below 74-98-6 Yes 20 ppm* 25 ppm* 1-5 No 1-5 Liquefied petroleum gas mixture ~ = 74-98-6 1000 ppm --Propane NE 106-97-8 600 ppm n-Butane Balance of ingredients are non-hazardous or below reportable levels. *-*-*-*-*-*-*-*-* SECTION III - PHYSICAL CHARACTERISTICS Boiling Point: NA Vapor Pressure (psig): 153 @ 130F / 68 @ 70F Specific Gravity (H20=1): 0.9577 pH: 10 Solubility/Water: Completely Vapor Density (AIR=1): ND Evaporation Rate (Ether=1): ND Appearance and Odor: Aerosol spray with fragrant odor. *-*-*-*-*-*-*-*-* SECTION IV - FIRE AND EXPLOSION HAZARD DATA Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45. Flashpoint: (OF (Propellant); >100F (Concentrate)
Flammable Limits - % Volume In Air (Propellant): LEL: 1.9 Extinguishing Media: Carbon dioxide, water spray, foam, or dry chemical. Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up. Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers. Unusual Fire and Explosion Hazards: Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH-approved positive pressure self-contained breathing apparatus (SCBA) and full protection clothing. At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure. *-*-*-*-*-*-*-* SECTION V - REACTIVITY DATA ________

Stability: Stable Hazardous Polymerization: NA
Incompatibility (Materials to Avoid): Oxidizing agents, reducing agents, acids, bases.
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, hydrocarbon vapors.

--*-*-*-*-*-*-* SECTION IX - OTHER REGULATORY CONTROLS

Toxic Substance Control Act (TSCA): Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

--*-*-*-*-*-*-* SECTION X - TRANSPORTATION REQUIREMENTS (D.O.T. CLASSIFICATION) -*-*-*-*-*-*-*-*-*-*-*-*-*-*

Hazard Class: ORM-D Consumer Commodity Shipping Name:

NG-- Negligible HA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

EFFECTIVE DATE: 07/18/01 SUPERCEDES: 04/22/98 PREPARED BY: Ron Cepa