Version 2.12Revision Date 01/22/2021Print Date 05/19/2021

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name              | :    | ZEP INSTANT HAND SANITIZER GEL 4-1GL                  |
|----------------------------|------|---|
| Material number            | :    | 0000000000087824                                      |
| Manufacturer or supplier's | deta | ails  |
| Company                    | :    | Zep Inc.  |
| Address                    | :    | 350 Joe Frank Harris Parkway, SE<br>Emerson, GA 30137 |
| Telephone                  | :    | 404-352-1680  |

| Emergency telephone numbers       |   |  |  |
|-----------------------------------|---|--|--|
| For SDS Information               | : | Compliance Services 1-877-428-9937   |  |
| For a Medical Emergency           | : | 877-541-2016 Toll Free - All Calls Recorded  |  |
| For a Transportation<br>Emergency | : | CHEMTREC: 800-424-9300 - All Calls Recorded.<br>In the District of Columbia 202-483-7616 |  |

## Recommended use of the chemical and restrictions on use

This product is labeled as an over-the-counter (non-prescription) drug under the Food and Drug administration (FDA) regulations of the United States. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of FDA products may differ from those required for GHS based hazard communication.

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

| Appearance | viscous, gel      |  |
|------------|-------------------|--|
| Colour     | colourless, clear |  |
| Odour      | citrus            |  |

## **GHS Classification**

| Flammable liquids<br>Eye irritation | : | Category 3<br>Category 2A         |
|-------------------------------------|---|-----------------------------------|
| GHS label elements                  |   |                                   |
| Hazard pictograms                   | : | Flame Exclamation mark            |
| Signal word                         | : | Warning                           |
| Hazard statements                   | : | H226 Flammable liquid and vapour. |

| Version 2.12             | Revision Date 01/22/2021  | Print Date 05/19/2021   |
|--------------------------|---|---|
|                          | H319 Causes serious eye irritatio   | on.   |
| Precautionary statements | <ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot sand other ignition sources. No sr<br/>P233 Keep container tightly close<br/>P240 Ground and bond containe<br/>P241 Use explosion-proof electrice<br/>equipment.</li> <li>P242 Use only non-sparking tool<br/>P243 Take precautionary measu<br/>P264 Wash skin thoroughly after<br/>P280 Wear protective gloves/ ey<br/><b>Response:</b></li> <li>P303 + P361 + P353 IF ON SKIN<br/>immediately all contaminated clo<br/>P305 + P351 + P338 IF IN EYES<br/>for several minutes. Remove cor<br/>easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation person<br/>attention.</li> <li>P370 + P378 In case of fire: Use<br/>alcohol-resistant foam to extingu<br/>Storage:</li> <li>P403 + P235 Store in a well-vention</li> <li>Disposal:</li> <li>P501 Dispose of contents/contait<br/>regulation.</li> </ul> | moking.<br>ed.<br>er and receiving equipment.<br>ical/ ventilating/ lighting<br>ls.<br>ures against static discharge.<br>r handling.<br>re protection/ face protection.<br>N (or hair): Take off<br>othing. Rinse skin with water.<br>S: Rinse cautiously with water<br>htact lenses, if present and<br>sists: Get medical advice/<br>e dry sand, dry chemical or<br>iish.<br>tilated place. Keep cool. |

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

## Hazardous components

| Chemical name | CAS-No. | Concentration [%] |  |  |  |
|---------------|---------|-------------------|--|--|--|
| ethanol       | 64-17-5 | >= 50 - < 70      |  |  |  |
|               |         |                   |  |  |  |

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

| General advice          | Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.              |  |  |
|-------------------------|---|--|--|
| If inhaled              | <ul> <li>If unconscious, place in recovery position and seek medical<br/>advice.</li> <li>If symptoms persist, call a physician.</li> </ul> |  |  |
| In case of skin contact | : This product is formulated for use on skin. Discontinue use if irritation and redness develop.  |  |  |

| Version 2.12  | Revision Date 01/22/2021  | Print Date 05/19/2021   |
|---|---|-------------------------|
|   | In the workplace, if a significant ex the skin, immediately wash off with   |                         |
| In case of eye contact                                      | <ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a solid in eyes, rinse with water for 15 n</li> </ul>  | specialist.             |
| If swallowed  | <ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> </ul> |                         |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed<br>Symptoms may include irritation, r<br>Causes serious eye irritation.<br>Review section 2 of SDS to see al  | edness, pain, and rash. |
| Notes to physician  | : Treat symptomatically. Symptoms   | s may be delayed.       |

## SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media                               | : | Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical<br>Water spray jet  |
|--|---|--|
| Unsuitable extinguishing media                             | : | High volume water jet  |
| Specific hazards during firefighting                       | : | Do not allow run-off from fire fighting to enter drains or water courses.  |
| Hazardous combustion<br>products<br>Specific extinguishing |   | Carbon dioxide (CO2)<br>Carbon monoxide<br>Smoke<br>Use extinguishing measures that are appropriate to local   |
| methods  |   | circumstances and the surrounding environment.   |
| Further information  | : | Collect contaminated fire extinguishing water separately. This<br>must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must<br>be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored<br>separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters              | : | Wear self-contained breathing apparatus for firefighting if necessary.   |

Version 2.12

Revision Date 01/22/2021

### SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | <ul> <li>Material can create slippery conditions.<br/>Use non-slip safety shoes in areas where spills or leaks can<br/>occur.<br/>Refer to protective measures listed in sections 7 and 8.<br/>Beware of vapours accumulating to form explosive<br/>concentrations. Vapours can accumulate in low areas.</li> </ul> |   |
|---|---|---|
| Environmental precautions   | <ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains, inform respective authorities.</li> </ul>  | ۱ |
| Methods and materials for containment and cleaning up                     | <ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel,<br/>acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable<br/>container for disposal.</li> </ul>  |   |

## SECTION 7. HANDLING AND STORAGE

| Advice on safe handling     | <ul> <li>Avoid formation of aerosol.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Avoid contact with eyes.</li> </ul> |
|-----------------------------|--|
| Conditions for safe storage | <ul> <li>No smoking.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> </ul>  |
| Materials to avoid          | : Strong oxidizing agents  |

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of<br>exposure) | Control<br>parameters /<br>Permissible<br>concentration | Basis     |
|------------|---------|-------------------------------------|---|-----------|
| ethanol    | 64-17-5 | TWA                                 | 1,000 ppm   | ACGIH     |
|            |         | TWA                                 | 1,000 ppm<br>1,900 mg/m3                                | NIOSH REL |
|            |         | TWA                                 | 1,000 ppm   | OSHA Z-1  |

Version 2.12

Revision Date 01/22/2021

Print Date 05/19/2021

|      | 1,900 mg/m3              |         |
|------|--------------------------|---------|
| TWA  | 1,000 ppm<br>1,900 mg/m3 | OSHA P0 |
| STEL | 1,000 ppm                | ACGIH   |
| PEL  | 1,000 ppm<br>1,900 mg/m3 | CAL PEL |

| Engineering measures | : No special ventilation requirements necessary during product |
|----------------------|--|
|                      | use. In the workplace or during a spill, utilize effective     |
|                      | exhaust ventilation.   |

| Personal protective equipme | nt  |
|-----------------------------|---|
| Respiratory protection      | <ul> <li>No personal respiratory protective equipment normally<br/>required.</li> <li>In the workplace- If a significant exposure or spill occurs, use<br/>respiratory protection unless adequate local exhaust<br/>ventilation is provided or exposure assessment demonstrates<br/>that exposures are within recommended exposure guidelines.</li> </ul> |
| Hand protection             |   |
| Remarks                     | : This product is formulated for use on skin. No special protection is required.  |
| Eye protection              | : Eye protection is not required while sanitizing with this   |
|                             | product.<br>In the workplace, the use of safety glasses is recommended to   |
|                             | avoid eye exposure during the handling of containers or during spill clean-up.  |
| Skin and body protection    | : No special protection is required.  |
| Hygiene measures            | : Wash hands before breaks and at the end of workday.   |
|                             |   |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance                   | : viscous, gel                |
|------------------------------|-------------------------------|
| Colour                       | : colourless, clear           |
| Odour                        | : citrus                      |
| Odour Threshold              | : No data available           |
| рН                           | : 7-8                         |
| Melting point/freezing point | : No data available           |
| Boiling point                | : No data available           |
| Flash point                  | : 21 °C<br>Method: closed cup |

| Version 2.12                               | Revision Date 01/22/2021       | Print Date 05/19/2021 |
|--|--------------------------------|-----------------------|
|  |                                |                       |
| Evaporation rate                           | : > 1<br>n-Butyl Acetate = 1.0 |                       |
| Upper explosion limit                      | : 12 %(V)                      |                       |
| Lower explosion limit                      | : 2 %(V)                       |                       |
| Vapour pressure                            | : No data available            |                       |
| Relative vapour density                    | : No data available            |                       |
| Density                                    | : 0.896 g/cm3                  |                       |
| Solubility(ies)                            |                                |                       |
| Water solubility                           | : soluble                      |                       |
| Partition coefficient: n-<br>octanol/water | : No data available            |                       |
| Auto-ignition temperature                  | : not determined               |                       |
| Thermal decomposition                      | : No data available            |                       |
| Viscosity                                  |                                |                       |
| Viscosity, kinematic                       | : 4955.4 mm2/s (20 °C)         |                       |

## SECTION 10. STABILITY AND REACTIVITY

| Reactivity                          | : Stable  |
|-------------------------------------|---|
| Chemical stability                  | : Stable under normal conditions.                     |
| Possibility of hazardous reactions  | : No decomposition if stored and applied as directed. |
| reactions                           | Vapours may form explosive mixture with air.          |
| Conditions to avoid                 | : Heat, flames and sparks.                            |
| Incompatible materials              | : Strong oxidizing agents                             |
| Hazardous decomposition<br>products | : Carbon oxides                                       |

## SECTION 11. TOXICOLOGICAL INFORMATION

## Potential Health Effects

| Aggravated Medical<br>Condition | : None known.   |
|---------------------------------|---|
| Symptoms of Overexposure        | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash. |

| Version 2.12                           | Revision Date 01/22/2021   | Print Date 05/19/202  |
|--|--|-----------------------|
|  | Causes serious eye irritation.<br>Review section 2 of SDS to see a<br>Treat symptomatically. Symptom     |                       |
| Carcinogenicity:                       |  |                       |
| IARC                                   | No component of this product prese<br>equal to 0.1% is identified as probat<br>human carcinogen by IARC. |                       |
| ACGIH                                  | Confirmed animal carcinogen with u humans  |                       |
| OSHA                                   | ethanol<br>No component of this product prese<br>equal to 0.1% is on OSHA's list of re                   | egulated carcinogens. |
| NTP                                    | No component of this product prese equal to 0.1% is identified as a know by NTP.                         |                       |
| Acute toxicity                         |  |                       |
| Components:                            |  |                       |
| <b>ethanol:</b><br>Acute oral toxicity | : LD50 Oral Rat: 7,060 mg/kg   |                       |
| Acute inhalation toxicity              | : LC50 Rat: 124.7 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour                                  |                       |
| Skin corrosion/irritation              |  |                       |
| Product:                               |  |                       |
| Result: No skin irritation             |  |                       |
| Serious eye damage/eye irritatio       | on   |                       |
| Product:                               |  |                       |
| Remarks: Irritating to eyes.           |  |                       |
| Respiratory or skin sensitisatio       | ı  |                       |
| No data available                      |  |                       |
| Germ cell mutagenicity                 |  |                       |
| No data available                      |  |                       |
| Carcinogenicity                        |  |                       |
| No data available                      |  |                       |
| Reproductive toxicity                  |  |                       |
| No data available                      |  |                       |
| STOT - single exposure                 |  |                       |
| No data available                      |  |                       |

Version 2.12

Revision Date 01/22/2021

Print Date 05/19/2021

## STOT - repeated exposure

No data available

## Aspiration toxicity

No data available

## **Further information**

## Product:

Remarks: Solvents may degrease the skin.

## SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

No data available

## Persistence and degradability

#### No data available Bioaccumulative potential

## Product:

|     | octanol/water<br><u>Components:</u><br>ethanol : | Remarks: No data available   |
|-----|--|--|
|     | Partition coefficient: n- : octanol/water        | Remarks: No data available   |
| Mot | bility in soil                                   |  |
| No  | data available                                   |  |
| Oth | er adverse effects                               |  |
| No  | data available<br><u>Product:</u>                |  |
|     | Regulation                                       | 40 CFR Protection of Environment; Part 82 Protection of<br>Stratospheric Ozone - CAA Section 602 Class I<br>Substances   |
|     | Remarks  | This product neither contains, nor was manufactured<br>with a Class I or Class II ODS as defined by the U.S.<br>Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A<br>+ B). |

# Additional ecological : No data available information

Version 2.12

Revision Date 01/22/2021

Print Date 05/19/2021

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

| Disposal methods       |  |
|------------------------|--|
| Waste from residues    | <ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with<br/>chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul> |
| Contaminated packaging | <ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>                 |

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1170, Ethanol Solutions, 3, II - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1170, ETHANOL SOLUTIONS, 3, II

Transportation Regulation: IATA (Cargo Air): UN1170, Ethanol Solutions, 3, II

Transportation Regulation: IATA (Passenger Air): UN1170, Ethanol Solutions, 3, II

Transportation Regulation: TDG (Canada): UN1170, ETHANOL SOLUTIONS, 3, II - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## **SECTION 15. REGULATORY INFORMATION**

TSCA list

: No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 1,2-bis(3-aminopropyl) 136504-96-6 ethylenediamine, polymer with N-butyl-2,2,6,6tetramethyl-4-piperidinamine and 2,4,6-trichloro-1,3,5triazine

## EPCRA - Emergency Planning and Community Right-to-Know Act

Version 2.12

Revision Date 01/22/2021

Print Date 05/19/2021

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : | Flammable (gases, aerosols, liquids, or solids)<br>Serious eye damage or eye irritation   |
|----------------------|---|---|
| SARA 302             | : | No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.   |
| SARA 313             | : | This material does not contain any chemical components with<br>known CAS numbers that exceed the threshold (De Minimis)<br>reporting levels established by SARA Title III, Section 313. |
| California Prop. 65  |   |   |
|                      |   | This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.  |

#### The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the<br/>Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 2.12

Revision Date 01/22/2021

Print Date 05/19/2021

#### **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme

#### HMIS III:



0 = not significant, 1 = Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

Hazard pictograms

Signal word Hazard statements Precautionary statements Flame Exclamation mark

## Warning:

Flammable liquid and vapour. Causes serious eye irritation.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. **Response:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local regulation.

Version 2.12

Revision Date 01/22/2021

Print Date 05/19/2021

| Version:       | 2.12       |
|----------------|------------|
| Revision Date: | 01/22/2021 |
| Print Date:    | 05/19/2021 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.