

ALL SOLUBLE

Clsrc # 090142

MSDS164 164

ITEM NUMBER: 164 - AIR FRESHENER & DEODORIZER
IDENTITY (As Used On Label and List): BRIGHT CITRUS

EMERGENCY MEDICAL Telephone# 1-800-228-5635 X 009 (24 Hrs) Outside of the U.S.A. Call 651-632-9275
PRODUCT HAZARD RATINGS (NFPA): Health = 1, Fire = 4, Reactivity = 0, Protective Equipment = *A
(Rating Legend: 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

***** SECTION I *****

CLAIRE MANUFACTURING
500 VISTA AV
ADDISON IL 60101

***** TELEPHONE NUMBER FOR INFORMATION : 1-800-252-4731 *****

***** SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION *****
Exposure Limits SARA Title III ACGIH OSHA % By Wt.
(LD50-Oral Rat) SEC 313 TLV/TWA PEL

***** DATE PRINTED : 8/15/00 NAME OF PREPARER : Ron Cepa *****

Ethyl Alcohol (CAS# 64-17-5)*	13.7g/kg	-	1000ppm	1000ppm	5-10
Liquified Petroleum Gas (CAS# 68476-85-7)	NE	-	1000ppm	1000ppm	15-20
Dimethyl Ether (CAS# 115-10-6)					

Unidentified ingredients are not considered hazardous under the Federal Hazard Communication Standard.

Components Listed As A Suspected Carcinogen: None

This product contains less than 0.1% Methanol as a denaturant in the finished product.

*Alcohol is not to be consumed.

***** SECTION III - PHYSICAL CHARACTERISTICS *****

Boiling Point: NA Vapor Pressure (psig): 120+/-5@130F Specific Gravity (H2O=1): <1
Solubility/Water: Appreciable Vapor Density (AIR=1): >1 Evaporation Rate (Ether=1): <1
Appearance and Odor: Fine misty spray, mild fragrance.

***** SECTION IV - FIRE AND EXPLOSION HAZARD DATA *****

Aerosol Flammability: This product is considered to be non flammable as described in 16CFR 1500.45.

Flammable Limits - % Volume In Air (Propellant): LEL: 1.8 UEL: 9.2

Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up.

Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Unusual Fire and Explosion Hazards: Do not spray near open flame or while smoking. At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

***** SECTION V - REACTIVITY DATA *****

Stability: Stable Hazardous Polymerization: NA

Incompatibility (Materials to Avoid): Oxidizing agents

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide and additional toxic chemicals may be formed in small amounts.

Conditions to Avoid: Do not store above 49C-120F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.

***** SECTION VI - HEALTH HAZARD DATA *****

Route(s) of Entry - Inhalation: X Eyes: X Skin: X Ingestion:

Signs and Symptoms of Exposure: Excessive inhalation of vapors can cause nasal and respiratory irritation, including dizziness, headache, etc. Eye irritant. Prolonged or repeated skin contact can cause irritation and defatting of skin.

Medical Conditions Generally Aggravated by Exposure: Preexisting skin or eye disorders may be aggravated by exposure to this product.

Emergency and First Aid Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing. Flush skin with water, follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. Ingestion: Induce vomiting. Get medical attention, immediately.