

SAFETY DATA SHEET

1. Product and Company Identification

Pro Pot Perm Plus Product identifier

Other means of identification

Not available.

None known

Recommended use

Regeneration of greensand iron filters

Recommended restrictions Manufacturer information

Pro Products LLC 7201 Engle Road

Fort Wayne, IN 46804-5875 US

Phone: 260-483-2519

Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Oxidizing solids Category 2 Physical hazards **Health hazards** Acute toxicity, oral Category 4 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity, single exposure Category 1

> Specific target organ toxicity, repeated exposure

Environmental hazards OSHA defined hazards

Not classified. Not classified.

Label elements



Signal word Danger

May intensify fire; oxidizer. **Hazard statement** Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Keep away from heat. Take any precaution to avoid mixing with combustibles.

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not

Category 1

breathe dust. Wear protective gloves/eye protection/face protection.

In case of fire: Use appropriate media to extinguish.

Response If swallowed: Rinse mouth. Do NOT induce vomiting.

> If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Specific treatment (see information on this label).

Immediately call a poison center/doctor.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Store locked up. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute dermal toxicity.

3. Composition/Information on Ingredients

Mixture

#23384 Page: 1 of 8 Issue date 23-February-2016 **Chemical name** Common name and synonyms CAS number Potassium permanganate 7722-64-7 60 - 100US GHS: The exact percentage (concentration) of composition has been withheld as a trade **Composition comments** secret in accordance with paragraph (i) of §1910.1200. 4. First Aid Measures Inhalation If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/. Skin contact If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor/. Specific treatment (see information on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Eye contact easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor/. Ingestion Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye Most important symptoms/effects, acute and damage including blindness could result. Skin irritation. May cause redness and pain. delayed Indication of immediate Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. medical attention and special treatment needed **General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid contact with eyes and skin. Keep out of reach of children. 5. Fire Fighting Measures Water. Suitable extinguishing media None known. Unsuitable extinguishing media Specific hazards arising from May intensify fire; oxidizer. Container may explode in heat of fire. May decompose spontaneously if exposed to temperatures above 150°C. Increases flammability of combustible materials. the chemical Special protective equipment Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. and precautions for firefighters In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so Fire-fighting without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if equipment/instructions possible. If not, withdraw and let fire burn out. Specific methods Cool containers exposed to flames with water until well after the fire is out. General fire hazards May intensify fire; oxidizer. Oxides of manganese. Oxygen. **Hazardous combustion** products **Explosion data** Not available. Sensitivity to mechanical impact Not available. Sensitivity to static discharge 6. Accidental Release Measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch Personal precautions, protective equipment and damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate

emergency procedures

closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

#23384 Page: 2 of 8 Issue date 23-February-2016

7. Handling and Storage

Precautions for safe handling

Keep away from heat. Take any precaution to avoid mixing with combustibles. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with skin. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Use care in handling/storage. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Keep away from heat. Store locked up. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS). Do not store near combustible materials.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Value Type Ceiling 5 mg/m3 Potassium permanganate (CAS 7722-64-7)

US. ACGIH Threshold Limit Values

Components Value **Form** Type TWA Potassium permanganate 0.1 mg/m3 Inhalable fraction. (CAS 7722-64-7) 0.02 mg/m3 Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Form Components Value Type Potassium permanganate STEL 3 mg/m3 Fume. (CAS 7722-64-7) **TWA** 1 mg/m3 Fume.

Biological limit values

No biological exposure limits noted for the ingredient(s). Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical splash goggles.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Not applicable.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Crystals **Appearance** Solid. Physical state **Form** Solid

Dark Metallic Purple Color

Odorless Odor **Odor threshold** Not available Not available Melting point/freezing point Not available. Initial boiling point and boiling Not applicable

range

Pour point Not available.

Specific gravity 2.7

Partition coefficient (n-octanol/water)

Not available

#23384 Page: 3 of 8 Issue date 23-February-2016 Flash point None

Evaporation rateNot applicableFlammability (solid, gas)Not applicableUpper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable

Flammability limit - upper

(%)

Not applicable

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure

Vapor density

Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not applicable

Not applicable

Not applicable

Not available.

Not available.

Other information

Percent volatile 0

10. Stability and Reactivity

ReactivityThis product may react with acids. This product may react with oxidizing agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Heat, open flames, static discharge, sparks and other ignition sources. Contact with incompatible

materials.

Incompatible materials Acids. Oxidizers. Reducing agents. Metals. Organic materials. Combustible materials. Hydrogen

peroxide.

Hazardous decomposition

products

Oxides of manganese. Oxygen.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye

damage including blindness could result. May cause redness and pain.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

Potassium permanganate (CAS 7722-64-7)

AcuteDermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Guinea pig 810 mg/kg

Mouse 1500 mg/kg, CCOHS

750 mg/kg

Components Species Test Results

Rat 1090 mg/kg, CCOHS

750 mg/kg

Skin corrosion/irritation Causes severe burns.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Teratogenicity Not classified.

Specific target organ toxicity -

single exposure

Causes damage to organs.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

Name of Toxicologically Not available.

Synergistic Products

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components Species Test Results

Potassium permanganate (CAS 7722-64-7)

Aquatic

Crustacea EC50 Amphipod (Crangonyx pseudogracilis) 0.86 - 1.12 mg/L, 48 hours

Fish LC50 Rainbow trout,donaldson trout 0.275 - 0.339 mg/L, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.Other adverse effectsNot available.

#23384 Page: 5 of 8 Issue date 23-February-2016

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the General

Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of

the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN1490 **UN** number

Proper shipping name Potassium permanganate, mixture

Hazard class Packing group

Special provisions IB8, IP2, IP4, T3, TP33

Packaging exceptions 152 Packaging non bulk 212 Packaging bulk

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN1490

Proper shipping name POTASSIUM PERMANGANATE

Hazard class 5.1 **Packing group** Ш

DOT







15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada WHMIS Ingredient Disclosure: Listed substance

Potassium permanganate (CAS 7722-64-7) Listed.

WHMIS status Controlled

WHMIS classification Class C - Oxidizing Material, Class D - Division 2B, Class E - Corrosive Material

WHMIS labeling







US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Potassium permanganate (CAS 7722-64-7) Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

chemical

No

Nο

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Potassium permanganate7722-64-760 - 100

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Potassium permanganate (CAS 7722-64-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act

(SDWA)

Hazardous substance

Not regulated.

Food and Drug Total food additive Administration (FDA) Direct food additive

Indirect food additive Controlled substance

US state regulationsCalifornia Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - Illinois Chemical Safety Act: Listed substance

Potassium permanganate (CAS 7722-64-7)
US - Minnesota Haz Subs: Listed substance

Potassium permanganate (CAS 7722-64-7)

US - New Jersey RTK - Substances: Listed substance

Potassium permanganate (CAS 7722-64-7)

US - North Carolina Toxic Air Pollutants: Listed substance

Potassium permanganate (CAS 7722-64-7)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Potassium permanganate (CAS 7722-64-7)

US. Pennsylvania RTK - Hazardous Substances

Potassium permanganate (CAS 7722-64-7)

US. Rhode Island RTK

Potassium permanganate (CAS 7722-64-7)

#23384 Page: 7 of 8 Issue date 23-February-2016

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|-----------------------------------------------|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |





Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use.

Do not use the product for purposes other than those stated in Section 1.

Issue date 23-February-2016 **Effective date** 23-February-2016 **Expiry date** 23-February-2019

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the **Further information**

document.

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021 Prepared by

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Other information

Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

Redbook revision #4, 11/3/15