

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Zep® Driveway, Concrete & Masonry Cleaner**

Article number: 15260001

UFI: H5J9-6YTS-AD14-19QV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Process category

PROC10 Roller application or brushing

PROC11 Non industrial spraying

Article category AC30 Other articles with intended release of substances

Technical function Cleaning agent

Application of the substance / the mixture Cleaning agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ZEP UK Ltd
Tanhouse Lane
Widnes Cheshire, WA8 0RD
United Kingdom
Tel: +44 (0)151 422 1000
Fax: +44 (0)151 422 1011
@: info@zep.co.uk
web: www.zep.co.uk

ZEP Industries BV
Vierlinghweg 30
4612 PN Bergen op Zoom
The Netherlands
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117
Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395
@: info@zepbenelux.com

ZEP ITALIA SRL
Piazzale Luigi Cadorna, 2 - Milano - (MI)
20123 Milano (MI) - Italy;
Via Nettunense Km. 25.000
04011 Aprilia (LT) - Italy
T: +39.06.926691
F: +39.06.92747061
@: tecnico@zepeurope.com
Sito: www.zep.it

Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number: NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 1)

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

Alcohols, C9-11, ethoxylated
Natriummetasilicat Pentahydrat

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear protective gloves / eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-xxxx	3-butoxypropan-2-ol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 68439-46-3 EC number: 614-482-0	Alcohols, C9-11, ethoxylated ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	≥3-≤5%
CAS: 10213-79-3 EC number: 600-279-4	Natriummetasilicat Pentahydrat ⚠ Met. Corr.1, H290; Skin Corr. 1B, H314 ⚠ STOT SE 3, H335	≥2.5-<5%
CAS: 1300-72-7 EINECS: 215-090-9 Reg.nr.: 01-2119513350-56-xxxx	Sodium xylenesulphonate ⚠ Eye Irrit. 2, H319	1-2.5%

Additional information: Ingredients according to Detergents Regulation 648/2004/EC

Nonionic surfactants, Anionic surfactants

<5%

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
 - Immediately wash with water and soap and rinse thoroughly.
 - If skin irritation continues, consult a doctor.
 - Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Do not inhale explosion gases or combustion gases.
 - Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Remove persons from danger area.
- **6.2 Environmental precautions:**
 - Do not allow product to reach sewage system or any water course.
 - Inform respective authorities in case of seepage into water course or sewage system.
 - Dilute with plenty of water.
 - Keep contaminated washing water and dispose of appropriately.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, universal binders).
 - Use neutralising agent.
 - Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Store in cool, dry place in tightly closed receptacles.
 - Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
 - Information about storage in one common storage facility:** Not required.
 - Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 5131-66-8 3-butoxypropan-2-ol

Oral	DNEL Long term-systemic	8.75 mg/kg human/day (consumer)
Dermal	DNEL Acute-systemic	44 mg/kg human/day (consumer)
		16 mg/kg human/day (worker)
	DNEL Long term-systemic	16 mg/kg human/day (consumer)
		44 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	33.8 mg/m3 (consumer)
	DNEL Acute-systemic mg/m3	270.5 mg/m3 (worker)

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 3)

· **PNECs****CAS: 5131-66-8 3-butoxypropan-2-ol**

PNEC Freshwater mg/L	0.525 mg/L
PNEC Marinewater mg/L	0.0525 mg/L
PNEC Freshwater sediment	2.36 mg/Kg
PNEC Marine water sediment	0.236 mg/Kg
PNEC Intermittent release	5.25 (mg/l)
PNEC Soil	0.16 mg/Kg
PNEC Sewage treatment Plant mg/L	10 mg/L

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Do not eat, drink, smoke or sniff while working.

· **Protection of hands:**

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves· **Eye protection:**

Tightly sealed goggles

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:****Form:** Liquid**Colour:** Purple· **Odour:** Characteristic· **Odour threshold:** Not determined.· **pH-value at 20 °C:** 11.5· **Change in condition****Melting point/freezing point:** Undetermined.**Initial boiling point and boiling range:** 100 °C· **Flash point:** Not applicable.· **Flammability (solid, gas):** Not applicable.· **Ignition temperature:** 260 °C

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 4)

· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard. Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.02 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Swiss VOC:	5.00 %
Solids content:	6.8 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Do not store together with oxidising and acidic materials.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	>7,693 mg/kg (Rat)
Dermal	LD50	40,002 mg/kg (Rat)

CAS: 5131-66-8 3-butoxypropan-2-ol

Oral	LD50	3,300 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
	EC 50 / 96 h (static)	>1,000 mg/ltr (Selenastrum capricornutum (Algae))

CAS: 68439-46-3 Alcohols, C9-11, ethoxylated

Oral	LD50	500 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (Rat)

CAS: 10213-79-3 Natriummetasilicat Pentahydrat

Oral	LD50	>1,000 mg/kg (Rat)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 5)

- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 5131-66-8 3-butoxypropan-2-ol

LC50 / 96 h (static)	560-1,000 mg/ltr (fish) (Poecilia reticulata)
EC 50 / 48 h (static)	>1,000 mg/ltr (Daphnia magna (water flea))
OECD test 301 E	90 (biodegradation in % after 28 days)

CAS: 68439-46-3 Alcohols, C9-11, ethoxylated

LC50 / 96 h	5-7 mg/ltr (fish)
EC 50 / 48 h	2.5 mg/ltr (Daphnia magna (water flea))
EC 50 / 72 H	1.4 /mg/l (Selenastrum capricornutum (Algae))

CAS: 10213-79-3 Natriummetasilicat Pentahydrat

LC50 / 96 h	>200 mg/ltr (Daphnia magna (water flea))
-------------	--

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **Uncleaned packaging:**
- **Recommendation:** Disposal in accordance with administrative provisions

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA

Void

· 14.5 Environmental hazards:

· Marine pollutant:

No

· 14.6 Special precautions for user

Not applicable.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg (EC) n. 648/2004 - Detergents

Reg. (EC) n. 1223/2009 (Cosmetics);

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.· **Hazard pictograms**

GHS05

· **Signal word** Danger· **Hazard-determining components of labelling:**

Alcohols, C9-11, ethoxylated

Natriummetasilicat Pentahydrat

· **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

· **Precautionary statements**

P102 Keep out of reach of children.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

GB

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Classification according to Regulation (EC) No 1272/2008 Calculation method**

· **Department issuing SDS:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

GB

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 8)

Annex: Exposure scenario

· **Short title of the exposure scenario**

For the finished product.

Zep® Driveway, Concrete & Masonry Cleaner

· **Sector of Use**

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· **Product category** PC35 Washing and cleaning products (including solvent based products)

· **Process category**

PROC10 Roller application or brushing

PROC11 Non industrial spraying

· **Article category** AC30 Other articles with intended release of substances

· **Technical function** Cleaning agent

· **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.

· **Conditions of use** According to directions for use.

· **Duration and frequency** 5 workdays/week.

· **Worker** Regular use with short-time exposure.

· **Environment**

Outdoor use

The undiluted product must not enter the sewage system or the aquatic environment.

· **Physical parameters**

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

· **Physical state** Fluid

· **Concentration of the substance in the mixture** Not applicable.

· **Used amount per time or activity**

Smaller than 250 g per application.

According to directions for use.

· **Other operational conditions** Observe the general safety regulations when handling chemicals.

· **Other operational conditions affecting environmental exposure**

Observe section 6 of the Safety Data Sheet (Accidental release measures).

· **Other operational conditions affecting worker exposure**

Do not ingest.

Avoid contact with eyes.

Avoid contact with the skin.

· **Other operational conditions affecting consumer exposure** Keep out of the reach of children.

· **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.

· **Risk management measures**

· **Worker protection**

· **Organisational protective measures** No special measures required.

· **Technical protective measures** No special precautions are necessary if used correctly.

· **Personal protective measures**

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Measures for consumer protection**

Keep locked up and out of the reach of children.

Ensure adequate labelling.

· **Environmental protection measures**

· **Water** Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

· **Disposal measures** Disposal in accordance with administrative provisions

· **Disposal procedures**

Dispose of uncleaned packaging with household waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste type** Liquid product residues

· **Exposure estimation**

· **Consumer**

Not relevant for this Exposure Scenario.

The highest inhalative exposure to be expected for consumers is **ppm**.

The highest dermal exposure to be expected for consumers is **mg / kg / day**.

The highest oral exposure to be expected for consumers is **mg / kg / day**.

(Contd. on page 10)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.01.2021

Version: 3

Revision: 21.01.2021

Trade name: Zep® Driveway, Concrete & Masonry Cleaner

(Contd. of page 9)

· Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

No further relevant information available.

GB